

Gun Mfg. / Model	BBL	2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
Five-Seven w/ Tactical Illuminator light refire M3, M6 or M3 LED N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. Note: holster will not retain weapon without light attached.	4.80"								6121	6121		6121	6121									
Glock		2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
17, 22 w/ Surefire X200 or X300	4.50"								836	836		836	836									
17, 22 w/ITI Streamlight M3, M3X, TLR-1, Surefire X200, X300, SSL-1 or LAS-TAC 2 NOTE: Holster will retain weapon without light	X 4.50"													832	832	832	832	832	832			
37 with Glock Tactical Light, GTL 10 (light only)	4.50"								7837	7837		7837	7837									
17, 22, 31w/Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52(light/laser with dim-switch) Note:holster will not retain weapon without light attached	4.50"								8310	8310		8310	8310									
17, 22, 31 w/ITI Streamlight M3 NOTE: Holster will retain weapon without light attached	X 4.50"		832						832	832		832	832			832	832			832	832	
17, 22, 31 with Beamshot Model 8000 or Model 8100	4.50"								8312	8312		8312	8312									
17, 22, 31 w/Insight Technology Streamlight M3X/M6X	4.50"								8312	8312		8312	8312									
17, 22, 31 w/Sure Fire P111, P111C or P111D with trigger guard rail mount NOTE: Holster will retain weapon without light attached	X 4.50"								830	830		830	830									
17, 22, 31 w/ITI LAM UNIT	4.50"								835	835		835	835									
17, 22, 31 w/Glock Tactical Light	4.50"								837	837		837	837									
17, 22, 31,23 M3, M6 or M3 LED IT Tactical Light and Streamlight TLR-1 and TLR-2	4.50"								8321	8321		8321	8321									
Glock 17/22 4.50" BBL with the Oerlikon Contraves LLM-01 Module with Filter	4.50"								8341	8341		8341	8341									
17, 22, 31 w/ Oerlikon LAM Module (#LLMO1)	4.50"								834	834												
19,19C,23,23C w/ Surefire X200 or X300	4.00"								2830	2830		2830	2830									
19,19C,23,23C,25,32, 32C with ITI Streamlight M3, TLR-1 NOTE: Holster will retain weapon without light attached	X 4.00"								2832	2832		2832	2832									
19, 23 with ITI M3, M3X, TLR-1, Surefire X200, X300, LAS-TAC 2, or SSL-1	4.00"													2832	2832	2832	2832	2832	2832	2832	2832	2832
19, 23 w/Glock Tactical Light Systems: GTL 10 (light only) Note: N/A: for Glock light system GTL21, GTL22 (light laser combo) Note: holster will not retain weapon without light attached	4.00"								2837	2837		2837	2837									
20, 21 w/STD Glock Rails with ITI M3, M3X, TLR-1, SSL-1, Surefire X200, X300, or LAS-TAC 2	4.60"													3832	3832	3832	3832	3832	3832	3832	3832	3832
20, 21 with ITI Streamlight M3 light NOTE: Holster will retain weapon without light attached	X 4.50"								3832	3832		3832	3832									
20,21, w/STD Glock Rails w/Glock Tactical light, GTL 10 (light only)	4.60"								3837	3837		3837	3837									
21SF w/STD Glock Rails w/Glock Tactical light, GTL 10 (light only)	4.60"								3837	3837		3837	3837									
20, 21 w/STD Glock Rails w/Sure-Fire Millennium 9V, # M111,M111C,M111D w/trigger guard light rail mount	4.60"								3839	3839		3839	3839									
20, 21, w/STD Glock Rails with Surefire X200 light or X300 Note: holster will not retain weapon without light attached	4.60"								3830	3830		3830	3830									
21SF w/STD Glock Rails with Surefire X200 light or X300 Note: holster will not retain weapon without light attached	4.60"								3830	3830		3830	3830									
17, 19, 22, 23 w/Sure-Fire 6v #644R	4.00"								831	831												
20,21 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc.Or Streamlight TLR-1 and TLR-2	4.50"								38321	38321		38321	38321									
21SF w/STD Glock Rails w/Laser Device Inc, Laser-Tac 2 (6V) Or Streamlight TLR-1	4.60"								38321	38321		38321	38321									
20, 21 w/Standard Glock Rails w/Sure-Fire 6V Light #645AR	4.60"								3831	3831												
21SF w/STD Glock Rails with Surefire 6V light #645AR	4.60"								3831	3831												
37 with ITI M3, M3X, TLR-1, SSL-1, Surefire X200, X300, or LAS-TAC 2 lights	4.50"													7832	7832	7832	7832	7832	7832			
34, 35 w/ITI Streamlight M3 NOTE: Holster will retain weapon without light attached	X 5.32"								6832	6832		6832	6832									
34, 35 w/IT Tactical Illuminator Light M3, M6 or M3 LED.Or TLR-1 and TLR-2 Note: N/A for M3X/M6X. Note: holster will not retain weapon without light attached.	5.30"								68321	68321		68321	68321									
20, 20C, 21, 21C w/Streamlight M3, M6 or M3 LED; Note: holsters listed will not retain the handgun without the light attached									38321	38321		38321	38321									
21SF w/STD Glock Rails with Streamlight M3, M6, or M3 LED. Note: holsters will not retain weapon without the light attached.									38321	38321		38321	38321									
Heckler & Koch		2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
USP 9, 40 w/H&K Light (UTL)	4.25"								932	932		932										
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"								1936	1936		1936	1936									
USP 9, 40 w/Sure Fire 6V Light Classic #609R	4.25"								931	931												
USP 9, 40 w/H&K USP Light Cocked & Locked Only	4.25"								922	922												
USP 9, 40 w/LAS/TAC 6V Light by Laser	4.25"								917	917		917	917									
USP 9, 40 w/BA-5 Laser by Laser devices	4.25"								918	918		918	918									

Gun Mfg. / Model	BBL	2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325
USP 9, 40 w/ OERILIKON LIGHT (LLM-R)	4.25"								914												
USP 9, 40 "Hammer down or Cocked and locked" w/B & T Adapter and IT Tactical light M3, M6, and M3 LED. Note: The Holster will not retain weapon without light attached.	4.25"								9221	9221		9221	9221								
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. Note: Holster will not retain weapon without light attached.	4.25"								19312	19312		19312	19312								
USP 9, 40, 45 W/ HK USP Light Hammer Down N/A for DA only	4.25"																				
HK USP 40C Insight Technology M3, M6 or M3X LED Tactical Illuminator Light or ITI SSL-1, Bobbed Hammer Only Note: N/A for M6X Note: The holsters will not retain weapon without the light attached	3.58"								29111	29111		29111	29111								
USP 9, USP, 40 with Surefire Mount and ITI M3, M6, TLR-1, TLR-2, Surefire X200 or X300 lights	4.13"								9321	9321		9321	9321								
USP 45 LEM (D.A.O. (Bobbed Hammer)) w/Surefire X200 light adapter with Surefire X200 or X300 light NOTE: Holsters will not retain weapon without the light attached	4.41"								1930	1930		1930	1930								
USP 45 LEM (D.A.O. (Bobbed Hammer)), USP 45 Spurred Hammer w/Surefire X200 light adapter with Surefire X200 or X300 light Note: Holsters will not retain weapon without the light attached	4.41"								930	930		930	930								
USP 45 w/H&K Light (UTL)	4.41"								932	932		932									
USP 45 w/H&K USP Light Cocked & Locked Only	4.41"								922	922											
USP 45 w/Sure Fire 6V Light #CLASSIC 609R	4.41"								931	931											
USP .45 with Surefire Mount ITI M3, M6, TLR-1, TLR-2, Surefire X200 or X300 light	4.41"								9321	9321		9321	9321								
P2000 (U.S. Version) w/ ITI M3/M6 Light.	3.5"								19721	19721		19721	19721								
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X	3.66"								9711	9711		9711	9711								
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination), GTL22 (light/laser combination), GTL51 (light/laser combination), GTL52 (light /laser with dim-switch)	3.50"								9710	9710		9710	9710								
P2000 Europea Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light or ITI SSL-1 NOTE: Holster will not retain weapon without light attached.	3.50"								9721	9721		9721	9721								
Kimber		2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325
1911 w/rails: Gold Combat RL; Custom TLE/RL w/Surefire X200 or X300 light NOTE: Holster will not retain weapon without light attached	5.00"								5340	5340		5340	5340								
CLASSIC CUSTOM w/Sure Fire 3V #310	4.60"								533	533											
CUSTOM Royale w/Sure Fire 3V #310	4.60"								533	533											
Gold Match w/Sure Fire 3V #310	4.60"								533	533											
Gold Combat RL II Warrior w/light rail w/Streamlight M3, M6 or M3 LED	5.00"								5621	5621		5621	5621								
Para Ordance		2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325
P-14 w/Sure Fire 6V Light #310	5.00"								533	533											
P-14 w/Sure Fire 6V Light #610R	5.00"								536	536											
Sphinx		2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325
3000 cocked and locked w/ITI LAM light	3.75"								1825	1825		1825	1825								
3000 cocked and locked w/ITI LAM light	4.50"								1825	1825		1825	1825								
3000 Hammer down or cocked & locked with IT M3X or M6X light . NOTE: Holster will not retain weapon without light attached	3.75"								18212	18212											
3000 Hammer down or cocked & locked with IT M3X or M6X light . NOTE: Holster will not retain weapon without light attached	4.50"								18212	18212											
Sig Sauer		2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6325	6320
Sig Pro P2022 with Insight Technology M3, M6 or M3 LED Tactical Illuminator light or ITI SSL-1, Or Streamlight TLR-1 and TLR-2. Note: The holster will not retain weapon without light attached.	3.50"								27821	27821		27821	27821								
Sig P220R DAK, P226R DAK (with bobbed hammer) with ITI 3M or M6 light or ITI SSL-1. Or Streamlight TLR-1 and TLR-2. Note: holster will not retain gun without light attached.	4.41"								27721	27721		27721	27721								
Sig P220R DAK, P226R DAK (with bobbed hammer) with Sure-Fire X200 or X300 Light. Note: Holster will not retain weapon without light attached.	4.41"								2770	2770		2770	2770								
P229 w/ ITI mount and ITI M3X light	3.86"								7411	7411											
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3 M3X, or ITI Tactical Illuminator Light, TLR-1, Surefire X200, X300, SSL-1, or LAS-TAC 2 NOTE: Holster will retain weapon without light attached	X 4.50"													7742	7742	7742	7742	7742	7742	7742	7742

Gun Mfg. / Model	BBL.	2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3 or M6 ITI Tactical Illuminator Light, TLR-1, TLR-2, Surefire X200, X300, or LAS-TAC 2	4.41"																					
P228,P229 with M3, M6, M3 LED light with ITI mount. Or Streamlight TLR-1 and TLR-2.									7421	7421		7421	7421									
P229R DASA (Spurred Hammer) with accy rails with M3, M6 or M3 LED light; Or Streamlight TLR-1 and TLR-2. NOTE: Holster will not retain weapon without light attached. N/A M3X, M6X.	3.90"								74421	74421		74421	74421									
P229 R DAK with Light Rails; Bobbed Hammer with ITI Tactical Illuminator Light M3, M6 and M3 LED.Or Streamlight TLR-1 and TLR-2. NOTE: The Holster will not retain weapon without light attached.									17421	17421		17421	17421									
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Holster will not retain pistol without light attached.	3.9"								17412	17412		17412	17412									
P229 R DAK w/bobbed hammer with Surefire X200 or X300 light NOTE: The Holster will not retain weapon without light attached.	3.9"								1740	1740		1740	1740									
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Holster will not retain weapon without light attached.	3.9"								7440	7440		7440	7440									
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6 or M3 LED Or Streamlight TLR-1 and TLR-2. NOTE: Holsters will not retain weapon without the light attached.	4.41"								7721	7721		7721	7721									
P220, P226 w/Sure-Fire 3v #314, #332	4.41"								773	773												
P220, P226 w/Sure-Fire 6v #614R, # 632R	4.41"								771	771												
P220, P226 w/Sure-Fire 6v & 3V w/LAS TACT LIGHT LASER HOUSING 3A PISTOL LASER	4.41"								772	772												
P220, P226 w/Sure-Fire Military Series Light W113,W113C,W113D & W114,W114C,W114D NOTE: Holster will retain weapon without light attached	X 4.41"								778	778		778	778									
P220R,P220S P226S,P226SO,P226R w/Accy Rails (DASA Spurred Hammer) w/#P004 Light	4.41"								7746	7746		7746	7746									
P220R,P220S P226S,P226SO,P226R w/Accy Rails (DASA Spurred Hammer) w/M3 or M6 IT Tac Illuminator Light. Or Streamlight TLR-1 and TLR-2.	4.41"								77421	77421		77421	77421									
P220R,P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Tac Illuminator Light or Surefire X400 light NOTE: Holster will not retain weapon without light attached	4.41"								77412	77412		77412	77412									
P220SO,P220ST,P220R,P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 Light NOTE: Holster will not retain weapon without light attached	4.41"								7740	7740		7740	7740									
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"								7712	7712		7712	7712									
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: The Holster will not retain weapon without light attached.	4.41"								7712	7712		7712	7712									
P225, P228, 229 w/Sure-Fire 6v #640R	3.9"								741	741												
P226 w/ITI LAM UNIT NOTE: Holster will retain weapon without light attached	X 4.41"								775	775												
P226 w/Sure-Fire Millennium Light , M114C, M114D, M114 NOTE: Holster will retain weapon without light attached	X 4.41"								779	779												
P226 w/Sure-Fire NITROLON P113,P113C,P113D& P114,P114C,P114D NOTE: Holster will retain weapon without light attached	X 4.41"								776	776		778	778									
P220R P226R (DASA Spurred Hammer) w/Accy Rails w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6 or M3 LED									77421	77421		77421	77421									
Sig Pro SP 2340 LDI Laser #20872 or LDI LASER #20871	3.9"								782	782												
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light NOTE: The holster will not retain weapon without light attached.	3.5"								2782	2782		2782	2782									
1911 GSR w/ ITI M3, M6, or Streamlight TLR-1, TLR-2, Surefire X200, X300, or SSL-1 NOTE: Holster will NOT retain weapon without light attached	5.00"								25621	25621		25621	25621									
P226 with Surefire MR14 Rail & Surefire X200 or X300 light. Note: Right Handed Holsters will accomodate LASER GRIPS	4.41"								7700	7700		7700	7700									
Smith & Wesson			2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325
4006TSW, 4046TSW w/ITI M5 Streamlight Light	4.00"								1402	1402		1402	1402									
4006TSW Bobbed Hammer w/STD S&W Rails & Streamlight M5 or TLR-1 OR 4006TSW Bobbed Hammer w/Picatinnny Rails & Streamlight M5 or TLR-1	4.00"								6004CHP-1402			6280CHP-1402										
4506-1 w/Sure Fire 6V Light	5.00"								2101	2101												
5906TSW, 5946 w/M5 ITI Streamlight Light	4.00"								1402	1402		1402	1402									

Gun Mfg. / Model	BBL	2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
4566 TSW w/light rails and ITI Streamlight M5	4.125"								4302	4302		4302	4302									
4566TSW w/Picatinny Rails & ITI M3, TLR-1, Surefire X200, X300, or LAS-TAC 2, or ITI SSL-1 lights	4.25"													4302	4302	4302	4302	4302	4302	4302	4302	4302
99 W/ITI Streamlight M5	4.00"								842	842		842										
S&W M&P .45 with or without manual safeties with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or LAS-TAC 2 lights	4.50"								51921	51921		51921	51921									
SW M&P 9mm & .40 W/ M3 or M6 IT Tactical Illuminator, Streamlight TRL-1 or TRL-2	4.50"								21921	21921		21921	21921									
Smith & Wesson M&P 9mm & 40mm with ITI M3, M3X, SSL-1, TLR-1, Surefire X200, X300, or LAS-TAC 2	4.50"													2192	2192	2192	2192			2192	2192	
Springfield Armory		2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2.	5.00"								5621	5621		5621	5621									
1911 w/rails: Operator w/Surefire X200 or X300 light NOTE: Holster will not retain weapon without light attached	5.00"								5340	5340		5340	5340									
1911-A1 w/Sure Fire 3V Light#310	5.00"								533	533												
1911-A1 w/Sure Fire 6V Light#610R	5.00"								536	536												
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire X200 or X300 Light	5.00"								530	530		530	530									
Operator 1911-A1 w/ M3, M6 or M3 LED StreamLight	5.00"								5621	5621		5621	5621									
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"								5612	5612		5612	5612									
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or LAS-TAC 2 Note: Holster will NOT retain weapon without light attached	4.00"								14821	14821		14821	14821									
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or LAS-TAC 2 Note: Holster will NOT retain weapon without light attached	5.00"								14921	14921		14921	14921									
STI/SVI		2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
1911 w/rails: Infinity Lighted Gun, STI 2011 Tactical, Tactical Lite, Duty One w/Surefire X200 or X300 light NOTE: Holster will not retain weapon without light attached	5.00"								5340	5340		5340	5340									
STI Tactical w/ M3, M6, M3 LED StreamLight, TLR-1, TLR-2	5.00"								5621	5621		5621	5621									
Walther		2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
P99 w/Laser B5 and with optional accessories Rail	4.00"								848	848		848	848									
Wilson		2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
1911 w/rails: CQB w/Surefire X200 or X300 light NOTE: Holster will not retain weapon without light attached	5.00"								5340	5340		5340	5340									
1911 CQB w/light rail with M3/M6 light	5.00"								5621	5621		5621	5621									
Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur.																						
<u>Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges any user of this information to personally check for holster/handgun compatibility using the actual product.</u>																						