

Part 1 Duty Holsters-Pistols

Holsters for Pistols Brief Description-SeeCode Chart and Customer Service for complete list of willfits.																											
	BBL.	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
<b>AMT</b>	BBL.	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
Hardballer	5.00"	53	53	53					53	53		53	53														
<b>Beretta</b>	BBL.	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
84FS	3.80"											62	62														
92/96Vertec M9A1	4.70"								73	73		73	73				73	73				734	734			X	
90 Two Note: Weapon will not fit in Holster with the accessory rail cover attached.	4.78"											73	73													X	
92BrigadierD	4.90"				373				373			173	173								373	373					
92BrigadierFS	4.90"								373		73	73	73	73	73								373	373			
92D	4.90"	73	73	73	173				73	73		173	173				73	73			73	73					
92DM	4.30"	73	73	73					73	73		173	173														
92DS	4.90"	73	73	73	173				73	73		173	173				73	73			73	73					
92F	4.90"	73	73	73					73	73	73	73	73	73	73		73	73			73	73	73	73			
92FC	4.30"	273	273						273	273	73	73	73	73	73												
92FCDA	4.30"	273	273		273							473	173														
92FCM	4.30"	273	273						273	273	73	73	73														
92FS	4.90"	73	73	73					73	73	73	73	73	73	73		73	73			73	73	73	73			
92FSCenturion	4.30"	273	273						273	273	73	73	73														
92G	4.90"	73	73	73					73	73	73	73	73	73	73		73	73			73	73	73	73			
96	4.90"	73	73	73					73	73	73	73	73	73	73		73	73									
96BrigadierD	4.90"				373				373			173	173								373	373					
96BrigadierG	4.90"								373		73	73	73									373	373	373	373		
96Centurion	4.30"	273	273		273				273	273	73	73	73														
96D	4.90"	73	73	73	173				73	73		173	173				73	73			73	73					
96DC	4.30"	273	273		273				273	273		473															
96DS	4.90"	73	73	73	173				73	73		173	173				73	73			73	73					
96DSBrigadierD	4.90"				373				373			173	173														
96F, 96FS	4.90"																73	73			73	73	73	73			
96G	4.90"	73	73	73					73	73	73	73	73				73	73			73	73	73	73			
96G SD, 92G SD	4.90"											73	73				73	73									
Cougar 8000, 8040 CougarD DAO	3.60"		71						71			171	171														
Cougar8000, 8040 Cougar G, F, D	3.60"		71						71			71															
Cougar 8045F	3.60"								70			71	71														
Cougar 8357	3.60"		71						71																		
M9	4.90"																73	73									
PX4 Storm DASA or DAO N/A for .45	4.00"											180	180	180	180		180	180									X
<b>Browning</b>		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
HighPower9mm	4.66"		76						76			76	76														
HighPower9mm-tobecarrriedwithhammerdown	4.75"											1376															
PRO9																											X
<b>Colt</b>		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
CombatElite	5.00"	53	53	53					53	53		53	53														
Commander	4.25"		51						51																		
DeltaElite	5.00"	53	53	53					53	53		53	53														
DeltaGoldCup	5.00"	53	53	53					53	53		53	53														
GoldCupNt'l/Match	5.00"	53	53	53					53	53		53	53														
Government.380	3.25"																										
Government1911	5.00"	53	53	53					53	53		53	53	53	53		53	53									
<b>CZ</b>		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
75,85	4.50"											90	90														
75 P-01	3.80"											290	290														
<b>EAA</b>		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"											90	90														
<b>FN</b>		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
Five-Seven	4.80"											61	61														
FNP-9/Browning PRO-9	4.00"											260	260														
FNP-9	4.00"											260	260														X

	BBL.	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
FNP-45	4.50"											261	261														X
<b>Glock</b>	<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>		
17,17C,22,22C,31	4.50"	83	83	83	83	83		83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	X
17 & 22, Dual Mag release	4.50"											983	983														X
19,19C,23,23C,25,32	4.00"	83	83	83	83	83		83	83	83	283	283	283	283	283	283	283	283		83	83	83	83				X
19 & 23 Dual Mag release	4.00"										9283	9283															
20,20C,21,21C	4.60"	383	383	383	383	383		383	383	383	383	383	383	383	383	383	383	383		383	383	383	383				X
21SF w/STD Glock Rails	4.60"	383	383	383	383	383		383	383	383	383	383	383				383	383		383	383	383	383				X
21SF w/Picatinny Rails	4.60"	383	383	383							383	383															X
26,27,33,28	3.50"										283	283															
26, 27, 33	3.50"																										X
29,30	3.78"				383	383								483	483		483	483									X
34,35	5.32"		683					683		683	683	683	683	683	683	683	683	683		683	683	683	683				X
36	3.75"										283	283															
37	4.50"				383	383		783	783		783	783	783	783	783		783	783				383	383				X
38	4.0"																					383	383				X
<b>Heckler&amp;Koch</b>	<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>		
P7	4.10"										82	82															
P7M8	4.10"		82	82							82	82															
P7M13	4.10"		82	82							82	82															
P30 DAO	3.78"										295	295	295	295		295	295										X
P2000	3.5"														97	97	97										X
P2000 European Version w/light mount frame	3.62"										97	97	97	97													X
P2000 European Version and US Version w/light mount frame	3.50"										97	97	97	97								97	97				X
US Version P2000 DAO (bobbed hammer)	3.50"										297	297															X
US Version P2000 SC DAO (bobbed hammer)	3.25"										297	297															X
P3000																											X
USP 9,40	4.25"	91	91	91				91			93	93	91	91		91	91										
USP 9C,40C	3.58"		291					291			291	291	291	291		291	291										
USP45	4.41"		93					93	93		93	93										93	93				
USP45 Compact .45ACP	3.80"							293	293		293																
USP40 Expert, USP45 Expert	5.20"										96	96															
HK .45	4.25"	91	91	91				91	91																		
<b>HSAmerica</b>	<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>		
HS2000 9MM, 40, 357	4.00"										148	148															
<b>Kimber</b>	<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>		
KIP45CUS	5.00"	53	53	53				53	53		53		53	53													
PROCarry1911	5.00"							52																			
1911 with Tactical Rails	5.00"																										X
Gold Combat RL II, Warrior ( w/light rail)	5.00"										56	56	56	56		56	56										X
<b>ParaOrdnance</b>	<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>		
14.45LDA	5.00"	53	53	53				53	53		53	53															
14.45LDALTD	5.00"	53	53	53				53	53		53	53															
14.45LDALTDSS	5.00"	53	53	53				53	53		53	53															
14.45LDASS	5.00"	53	53	53				53	53		53	53															
16.40LDALTD	5.00"	53	53	53				53	53		53	53															
16.40LDALTDSS	5.00"	53	53	53				53	53		53	53															
18.9LDA	5.00"	53	53	53				53	53		53	53															
18.9LDASS	5.00"	53	53	53				53	53		53	53															
7.45LDA	5.00"	53	53	53				53	53		53	53															
7.45LDALTD	5.00"	53	53	53				53	53		53	53															
7.45LDALTDSS	5.00"	53	53	53				53	53		53	53															
7.45LDASS	5.00"	53	53	53				53	53		53	53															
P13-45	4.25"		51					51																			
P13-45LTD	4.25"		51					51																			
P13-45LTDSS	4.25"		51					51																			
P13-45SS	4.25"		51					51																			

	BBL.	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
P14-45	5.00"	53	53	53					53	53		53	53														
P14-45LTD	5.00"	53	53	53					53	53		53	53														
P14-45LTDSS	5.00"	53	53	53					53	53		53	53														
P14-45SS	5.00"	53	53	53					53	53		53	53														
P16-40	5.00"	53	53	53					53	53		53	53														
P16-40LTDSS	5.00"	53	53	53					53	53		53	53														
P16-40SS	5.00"	53	53	53					53	53		53	53														
P18-9	5.00"	53	53	53					53	53		53	53														
PXT 1911 with Light Rails																											X
<b>Ruger</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
KP89	4.50"	67	67	67					65																		
KP89DAO	4.50"	67	67	67	65				65																		
KP89DAOW	4.50"	67	67	67	65				65																		
KP89DC	4.50"	67	67	67					65																		
KP89DW	4.50"	67	67	67					65																		
KP89W	4.50"	67	67	67					65																		
KP90	4.50"	67	67	67					67																		
KP90DC	4.50"	67	67	67					67																		
KP90DW	4.50"	67	67	67					67																		
KP90W	4.50"	67	67	67					67																		
KP91DAO	4.50"	67	67	67					67																		
<b>Ruger</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
KP91DC	4.50"	67	67	67					67																		
KP93	3.875"		69		68	68																					
KP94,KP944W,KP944DW	4.25"		69									69															
KP944DAOW,KP944	4.25"		69									69															
KP944DC,KP944DAO	4.25"		69									69															
KP94DAO	4.25"		69																								
KP94DC	4.25"		69									69															
P345	4.00"		69	69								69	69														
P85	4.50"	67	67	67					65																		
P89	4.50"	67	67	67					65																		
P89DC	4.50"	67	67	67					65																		
P89W,P89DW	4.50"	67	67	67					65																		
P90.45CAL.	4.50"	67	67	67					67																		
P90DC	4.50"	67	67	67					67																		
P91DAO	4.50"	67	67	67					67																		
P91DC	4.50"	67	67	67					67																		
P95D,KP95D	4.25"		69																								
P95DAO,KP95DAO	4.25"		69		68	68																					
SR9	4.00"		84	84																							
<b>SigSauer</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
P220 before gun serial number (G158180),P226 before serial gun number (365426)	4.41"	77	77	77					77	77	77	77	77	77	77		77	77		777	777	77	77				
P220ST StainlessSteel P220R, P220S, P226R P226S, P226SO with Accessory Rails DASA	4.41"	77	77	77					777	777		77	77	77	77		774	774		774	774	77	77				X
P220afterS/NG158180(widetriggerguard)	4.41"								777	777																	
P225	3.90"	74	74	74					79	79	74	74	74	79			79	79									
P220R DAK, P226R DAK bobbed hammer w/light rails	4.41"		277	277					1774	1774		277	277	774	774	774	774	774									
P226DAO,P220DAO	4.41"	77	77	77	177				777	777	77	77	77	77	77		77	77									
P226afterS/N365426(widetriggerguard)	4.41"								777	777																	
P220R Compact	3.75"											74	74								774	774					
P228	3.90"	74	74	74					74	74	74	74	74	74	74		74	74			74	74					
P228R	3.90"																										X
P229	3.90"	74	74	74					74	74	74	74	74	74	74		74	74			74	74					
P229R DASA spurred hammer w/light rails	3.90"		744	744					744	744	74	74	74	744	744	744	744	744			744	744	744	744			X
P229R DAK bobbed hammer w/light rails	3.90"								1744	1744		174	174	744	744	744	744	744			744	744	744	744			X

Part 1 Duty Holsters-Pistols

	BBL.	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
P239 (will only fit 9mm as of manufactured date 4603)	3.625"		75						75	75		75	75														
P239 caliber 40 & 357	3.625"		75						754	754		75	75														
P239 DAK	3.625"								75	75																	
P250 DC	3 7/8"											750	750														X
SIGProSP2340,2009	3.875"		78	78					78	78		78	78							78	78	78	78				
SIGPro SPC2009-wlightmountrails	3.50"											278	278														X
P2022spurred hammer	3.87"											278	278	278	278			278	278								X
Sig Arms GSR Revolution 1911	5.00"											256	256														
<b>Smith&amp;Wesson</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
39	4.00"	140	140	140					18	18																	
59	4.00"	140	140	140					18	18																	
410	4.00"	19	19																								
411	4.00"	140	140	140					140	140																	
439	4.00"	140	140	140					18	18																	
459	4.00"	140	140	140					18	18																	
469	3.50"	20	20						20																		
639	4.00"	140	140	140					18	18																	
645	5.00"	23	23							23		210	210														
659	4.00"	140	140	140					18	18																	
669	3.50"	20	20						20																		
909	4.00"		19																								
910	4.00"		19																								
915	4.00"	140	140	140					18																		
1006	5.00"	210	210	210					210	210		210	210														
1026	5.00"	210	210	210					210	210																	
1066	4.25"		410						315	315																	
1076	4.25"		310						310	310																	
1086	4.25"		410						410	410																	
3904	4.00"	140	140	140					18	18																	
3906	4.00"	140	140	140					18	18																	
3913	3.50"	20	20						20																		
<b>Smith&amp;Wesson</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
3953	3.50"	240	240	240	420				218	218																	
4006	4.00"	140	140	140					140	140	140	140	140								140	140	140	140			
4006 Bobbed Hammer without Light Rails	4.00"		200CHP-140	2005CHP-140								6280CHP-140	6285CHP-140														
4013	3.50"		423						540																		
4026	4.00"	140	140	140					140	140																	
4043	4.00"											140	140														
4046	4.00"	240	240	240	440				240	240		140	140							140	140	140	140				
4053	3.50"		410						340			340															
4506	5.00"	23	23						23	23		210	210														
4526	5.00"	210	210	210					210	210		210	210														
4536	3.75"		423																								
4556	3.75"		410																								
4566	4.25"		410						315	315		210	210														
4576	4.25"		310						310	310																	
4586	4.25"		410						410	410		210															
5903	4.00"	140	140	140					18	18	140	140	140								18	18					
5904	4.00"	140	140	140					18	18	140	140	140								18	18					
5923	4.00"	140	140	140					18	18																	
5924	4.00"	140	140	140					18	18																	
5926	4.00"	140	140	140					18	18																	
6904	3.50"	20	20						20			20															
6924	3.50"	20	20						20			20															
6926	3.50"	20	20						20			20															
39533954	3.50"	240	240	240	420	420			218	218	321																

	BBL.	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
3913LS	3.50"	20	20						20																		
3913NL	3.50"	20	20						20																		
3913TSW w/o lightmnt	3.50"	20	20																								
3914LS	3.50"	20	20						20																		
3953TSW	3.50"	240	240	240	420																						
3953TSW w/o lightmnt	3.50"	240	240	240	420	420																					
4006TSW w/PICATINNY Rails, 4006TSW w/STD. Rails <b>BOBBED HAMMER ONLY</b>	4.00"								141	141		141	141														X
4003TSW, 4006TSW (manufacturing date of 4603), 4043TSW, 4046TSW(with rails)	4.00"		140						520	520		140	140														
4013TSW w/o lightmnt	3.50"	20	20									20															
4053TSW w/o lightmnt	3.50"	240	240	240	420																						
4056TSW w/o lightmnt	3.50"	240	240	240	420																						
4506-1	5.00"	210	210	210					210	210		210	210														
<b>Smith&amp;Wesson</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
4513TSW w/ light rails	3.50"								423																		
4513TSW w/o lightmnt	3.50"		423						423																		
4516-1Ver.II.4516-2	3.75"		423						423																		
4553TSW ( 6-1/2" Over All Slide Length) <u>N/A for size 6-3/4" Over All Slide Length</u>	3.75"								610	610																	
4553TSW w/o lightmnt	3.50"		410						410	410																	
4563TSW, 4566TSW, 4583TSW, 4586TSW(with rails)	4.25"								430			210	210														
5903TSW, 5906TSW (manufacturing date of 4603), 5943TSW, 5946TSW(with rails)	4.00"		140						520	520		140	140														
5906lgrtriggrd	4.00"	140	140	140					18	18																	
5906shrtriggrd	4.00"	140	140	140					18	18	140	140	140								18	18					
5943shrtriggrd	4.00"	240	240	240	420	420			218	218		140	140														
5944shrtriggrd	4.00"	240	240	240	420	420			218	218		140	140														
5946lgrtriggrd	4.00"	240	240	240					218	218																	
5946shrtriggrd	4.00"	240	240	240	420	420			218	218		140	140								18	18					
6906lgrtriggrd	3.50"	20	20						20			20															
6906shrtriggrd	3.50"	20	20						20			20															
6944shrtriggrd	3.50"	240	240	240	420	420			218	218																	
6946lgrtriggrd	3.50"	240	240	240					218	218																	
6946shrtriggrd	3.50"	240	240	240	420	420			218	218																	
Sigma40,9mm	4.50"	40	40	40	40				40		40	40	40														
<b>Smith&amp;Wesson</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
Sigma9C, 40C, 40V, 9V, 9E	4.00"		39		40				40		40	40	40														
Sigma9F, 40F	4.50"	40	40	40	40				40		40	40	40														
<b>Smith&amp;Wesson</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
SW99 9mm & .40	4.00"		84	84					84			84	84	84	84		84	84			84	84					
SW99 45ACP	4.25"											86	86														
SW M&P 9mm & .40	4.50"								219	219		219	219	219	219		219	219									X
SW M&P 9C	3.375"																										
S&W M&P .45 without thumb safety	4.50"											519	519	419	419		419	419									X
S&W M&P .45 with or without thumbsafety	4.50"											519	519	519	519		519	519									X
1911	5.00"													53	53		53	53									
1911 w/ Tactical Rails	5.00"													56	56		56	56									X
<b>Sphinx</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
3000 cocked and locked or with hammer down	3.75"											182	182														
3000 cocked and locked or with hammer down	4.50"											182	182														
<b>SpringfieldArmory</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
Model1911-A1	5.00"	53	53	53					53	53		53	53	53	53		53	53									
Operator1911-A1	5.00"								56	56		56	56	56	56		56	56									X
XD 9mm, .40, .45, & .357	4.00"											148	148	148	148		148	148									X
XD 9, 40, 45 and .357	5.00"											149	149	149	149		149	149									X
<b>Stinger</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	

	BBL.	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6320	6325	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
S-200							164	164				164	164														
<b>STI/SVI</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
1911 with rails	5.00"											56	56	56	56												X
1911 without rails	5.00"																53	53									
STI Tactical	5.00"											56	56	56	56												
<b>Steyr</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
M40	4.00"											98	98														
<b>Taser International</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
Advanced Taser M26							63	63				63	63						63								
X26							64	64				64	64						64								
<b>Taurus</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
24/7 w/accy rails	4.00"		39		40							40	40														X
PT92, PT99C	5.00"	73	73	73					73	73																	
PT99	5.00"	73	73	73					73	73																	
PT99C	4.00"	73	73	73					73	73																	
PT92C	4.00"	73	73	73					73	73																	
<b>Walther</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
P5	3.50"		87									87	87														
P99	4.00"		84	84					84			84	84	84	84	84	84	84									
P99QA	4.00"											84	84				84	84									
P99C QA	3 3/8"		84	84								84	84														
<b>Wilson</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>519</b>	<b>520</b>	<b>070</b>	<b>0705</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>6320</b>	<b>6325</b>	<b>6351</b>	<b>6360</b>	<b>6365</b>	<b>6520</b>	<b>6070</b>	<b>6075</b>	<b>6270</b>	<b>6275</b>	<b>6295</b>	<b>62955</b>	<b>RLS</b>	
1911 CQB w/light rail	5.00"											56	56	56	56												X
1911	4 7/8"	53	53	53					53	53		53	53														
Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur.																											
<b>Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges any user of this information to personally check for holster/handgun compatibility using the actual product.</b>																											
<b>RLS NOTE:</b>																											
The RLS will also fit Shotguns & Long Guns with Picatinny Light Rails																											
Most Handguns with Standard Light Rails																											
N/A for Handguns without Light Rails																											